

Tamarisk and Russian Olive Control, Riparian Revegetation and Restoration Reference List

- Anderson MK, Roderick W. (2006) Screwbean, *Prosopis pubescens* Benth., Plant Guide. USDA NRCS National Plant Data Center & East Bay Regional Parks Botanic Garden. URL: http://plants.usda.gov/plantguide/pdf/cs_prupu.pdf
- Bernhardt ES, Palmer MA, Allan JD, Alexander G, Barnas K, Brooks S, Carr J, Clayton S, Dahm C, Follstad-Shah J, Galat D, Gloss S, Goodwin P, Hart D, Hassett B, Jenkinson R, Katz S, Kondolf GM, Lake PS, Lave R, Meyer JL, O'Donnell TK, Pagano L, Powell B, Sudduth E. (2005) Policy Forum Ecology: Synthesizing U.S. River Restoration Efforts. *Science* 308(5722):636-637.
- Bhattacharjee J, Taylor JP Jr., Smith LM, Spence LE. (2008) The Importance of Soil Characteristics in Determining Survival of First-Year Cottonwood Seedlings in Altered Riparian Habitats. *Restoration Ecology* 16:563-571.
- Colorado River Basin Tamarisk and Russian Olive Assessment. 2009. Tamarisk Coalition. *Sponsored by* Central Arizona Water Conservation District, Colorado Water Conservation Board, New Mexico Interstate Stream Commission, Six Agency Committee, Southern Nevada Water Authority, Utah Division of Water Resources, and Wyoming State Engineer's Office. URL: <http://www.nrel.colostate.edu/projects/tamariskcoalition/ColoradoRiver.html>
- Dreesen DR, Fenchel GA, Goodson GD, White K. (2006) Seeding xeric riparian sites following removal of invasive phreatophytes. 2006 Riparian Seeding Workshop Proceedings. URL: <http://www.nm.nrcs.usda.gov/programs/pmc/symposium/riparian-seeding-ws.pdf>
- Follstad-Shah J, Dahm C. (2008) Flood Regime and Leaf Fall Determine Soil Inorganic Nitrogen Dynamics in Semiarid Riparian Forests. *Ecological Applications* 18(3):771-788.
- Glenn EP, Lee RC, Felger R, Zengel S. (1996) Effects of Water Management on the Wetlands of the Colorado River Delta, Mexico. *Conservation Biology* 10(4):1175-86.
- Glenn EP, Nagler PL, Romo R, Hinojosa-Huerta O. (2004) Regeneration of Native Trees and Wetlands in the Delta. *Southwest Hydrology* 3(1):12-15.
- Glenn E, Tanner R, Mendez S, Kehret T, Moore D, Garcia J, Valdes C. (1998) Growth rates, salt tolerance and water use characteristics of native and invasive riparian plants from the delta of the Colorado River, Mexico. *Journal of Arid Environments* 40(3):281-294.
- Glenn EP, Zamora-Arroyo F, Nagler PL, Briggs M, Shaw W, and Flessa K. (2001) Ecology and Conservation Biology of the Colorado River Delta, Mexico. *Journal of Arid Environments* 49(1):5-15.
- Henson J, Stevens M, and Fenchel G. (2006) Fremont's cottonwood, *Populus fremontii* S. Wats. Plant Guide. USDA NRCS National Plant Data Center, Los Lunas Plant Materials Center. URL: http://plants.usda.gov/plantguide/pdf/cs_pofr2.pdf

- Hurteau MD, Anderson MK. (2006) Honey mesquite, *Prosopis glandulosa* Torr., Plant Guide. USDA NRCS National Plant Data Center. URL: http://plants.usda.gov/plantguide/pdf/cs_prgl2.pdf.
- McDaniel KC, TaylorJP. (2003) Saltcedar recovery after herbicide-burn and mechanical clearing practices. *Journal of Range Management* 56(5):439-445.
- Munda B. (2005) Use of Non-Dormant Cottonwood Poles for Riparian Revegetation. U.S. Department of Agriculture, Natural Resource Conservation Service. Technical Notes- Plant Materials -6-1. (ID# 6892) Plant Materials Center, Tucson, Arizona. 3pp. URL: <http://www.plant-materials.nrcs.usda.gov/pubs/azpmstn6892.pdf>.
- Nagler PL, Hinojosa-Huerta O, Glenn EP, Garcia-Hernandez J, Romo R, Curtis C, Huete AR, Nelson SG. (2004) Regeneration of native trees in the presence of invasive saltcedar in the Colorado River Delta, Mexico. *Conservation Biology* 19(6):1842-1852.
- New Mexico Interagency Weed Action Group. (2004) Strategy for long-term management of exotic trees in riparian areas for New Mexico's five river systems, 2005-2014. USDA Forest Service, Southwestern Region. URL: <http://www.invasivespeciesinfo.gov/docs/toolkit/ltmgmtofexotictrees.pdf>.
- Reed WR. (1993) *Salix gooddingii* *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/tree/salgoo/introductory.html>.
- Shafroth PB, Brown CA, and Merritt DM (eds.). (2010) Saltcedar and Russian Olive control demonstration act science assessment: U.S. Geological Survey Scientific Investigations Report 2009-5247. 143 pp. URL: http://www.fort.usgs.gov/Products/Publications/pub_abstract.asp?PubID=22895
- Sher AA, Marshall DL. (2003) Seedling competition between native *Populus deltoides* (Salicaceae) and exotic *Tamarix ramosissima* (Tamaricaceae) across water regimes and substrate types. *American Journal of Botany* 90(3):413-422.
- Sher AA, Marshall DL, Gilbert SA. (2000) Competition between native *Populus deltoides* and invasive nonnative *Tamarix ramosissima* and the implications for reestablishing flooding disturbance. *Conservation Biology* 14(5):1744-1754.
- Sher AA, Marshall DL, Taylor JP. (2002) Establishment patterns of native *Populus* and *Salix* in the presence of invasive nonnative *Tamarix*. *Ecological Applications* 12(3):760-772.
- Stevens M, Fenchel G, Hoag C, Anderson MK. (2006) Coyote Willow, *Salix exigua* Nutt. Plant Guide. USDA NRCS National Plant Data Center, New Mexico Plant Materials Center, & Idaho Plant Materials Center. URL: http://plants.usda.gov/plantguide/pdf/cs_saex.pdf.
- Tamarisk Coalition. 2008. Riparian Restoration: Assessment of Alternative Technologies for Tamarisk Control, Biomass Reduction and Revegetation. Grand Junction, Colorado. URL: <http://www.nrel.colostate.edu/projects/tamariskcoalition/Control.html>

Taylor JP, McDaniel KC. (2004) Revegetation Strategies After Saltcedar (*Tamarix* spp.) Control in Headwater, Transitional, and Depositional Watershed Areas. Weed Technology. Issue Supplement- Symposium:149-153.

U.S. Department of Agriculture, Natural Resources Conservation Service. (2007) A Guide for Planning Riparian Treatments in New Mexico. New Mexico Natural Resources Conservation Service, New Mexico Association of Conservation Districts, NRCS Los Lunas Plant Materials Center. 41pp. URL: <ftp://ftpfc.sc.egov.usda.gov/NDCSMC/Stream/pubs/SouthWestLosLunasPMCRiparian.pdf>

U.S. Department of Agriculture, Natural Resources Conservation Service. (2005) Guidelines for planting dormant pole cuttings in riparian areas of the southwest. Technical Notes- Plant Materials technical no. 68. Natural Resources Conservation Service, Albuquerque, NM. URL: <http://www.nm.nrcs.usda.gov/technical/tech-notes/pmc/pmc68.pdf>.

U.S Department of Agriculture, Natural Resources Conservation Service. (2005) Guidelines for planting dormant whip cuttings to revegetate and stabilize streambanks. Natural Resources Conservation Service Plant Materials Program, Albuquerque, NM. URL: <http://www.nm.nrcs.usda.gov/news/publications/dormant-willow-planting.pdf>.

U.S Department of Agriculture, Natural Resources Conservation Service. 2007. Guidelines for planting longstem transplants for riparian restoration in the southwest. Natural Resources Conservation Service Plant Materials Program, Albuquerque, NM. URL: <http://www.nm.nrcs.usda.gov/news/publications/deep-planting.pdf>.

Young JA, Clements CD. (2003) Seed Germination of Willow Species from a Desert Riparian Ecosystem. Journal of Range Management. 56(5):496-500.

Zamora-Arroyo F, Pitt J, Glenn E, Nagler P, Moreno M, Garcia J, Hinojosa-Huerta O, De al Garza M. (2005) Conservation Priorities in the Colorado River Delta. Prepared by the Sonoran Institute, Environmental Defense, University of Arizona, Pronatura Noroeste Direccion de Conservacion Sonora, Centro de Investigacion en Alimentacion y Desarrollo, and World Wildlife Fund—Gulf of California Program.

Zentner J, Glaspy J, Schenk D. (2003) Wetland and Riparian Woodland Restoration Costs. Ecological Restoration 21(3):166-173.